CLAIM AMENDMENTS

Please cancel claims 6-9, 14-19, and 28-30 without prejudice or disclaimer.

1. (Original) A method, comprising:

converting an optical beam emitted by a laser into current proportional to a power

in the optical beam using a first photodiode on a substrate, the first photodiode being illuminated

by the optical beam;

evaluating a bandwidth of the substrate using a second photodiode on the

substrate;

preventing the second photodiode from being illuminated by the optical beam;

extracting an amplitude for logic level "1" of the optical beam using a peak

detector coupled to the first photodiode and compensating the amplitude for the logic level "1" in

response to the evaluated bandwidth; and

adjusting laser modulation voltage in response to the compensated amplitude for

the logic level "1".

2. (Original) The method of claim 1, further comprising adjusting optical signal alternating

current (AC) components.

3. (Original) The method of claim 2, further comprising adjusting optical signal extinction

ratio based on the adjusted laser modulation voltage.

4. (Original) The method of claim 2, further comprising adjusting optical signal optical

42P16447 Examiner: Bui-Pho, Pascal M.

Serial No. 10/611,701 - 3 - Art Unit: 2878

modulation amplitude based on the adjusted laser modulation voltage.

5. (Original) The method of claim 1, wherein extracting an amplitude for the logic level "1"

comprises extracting an amplitude for the logic level "1" of the optical beam using a peak

detector coupled to the first photodiode.

Claims 6 - 9. (Canceled)

10. (Original) An apparatus, comprising:

a laser;

a first photodiode on a substrate, the first photodiode being illuminated by an

optical beam emitted by the laser;

a second photodiode on the substrate, the second photodiode being prevented

from illumination by the optical beam; and

first circuitry coupled to the first photodiode to adjust alternating circuit (AC)

components in the optical beam in response to variations in bandwidth of the second photodiode.

11. (Original) The apparatus of claim 10, wherein the first circuitry includes laser modulation

circuitry coupled to adjust laser modulation voltage in response to variations in bandwidth of the

second photodiode.

12. (Original) The apparatus of claim 11, wherein the first circuitry is further to adjust

extinction ratio of the optical signal in response to variations in bandwidth of the second

42P16447 Serial No. 10/611,701 Examiner: Bui-Pho, Pascal M.
Art Unit: 2878

 \odot

photodiode.

13. (Original) The apparatus of claim 10, wherein the first circuitry is further to adjust optical

modulation amplitude of the optical signal in response to variations in bandwidth of the second

photodiode.

Claims 14 - 19. (Canceled)

20. (Original) A system, comprising:

a transponder having a laser to emit an optical beam, a substrate having a first

photodiode and a second photodiode, the first photodiode being illuminated by the optical beam,

the second photodiode being prevented from illumination by the optical beam, and first circuitry

coupled to the first photodiode to adjust alternating circuit (AC) components in the optical beam

in response to variations in bandwidth of the second photodiode; and an erbium-doped fiber

amplifier (EDFA) coupled to the transponder.

21. (Original) The system of claim 20, further comprising a multiplexer coupled to the

EDFA.

22. (Original) The system of claim 21, further comprising an add-drop multiplexer coupled to

the EDFA.

23. (Original) An article of manufacture article of manufacture, comprising:

a machine-accessible medium including data that, when accessed by a machine,

cause the machine to perform the operations comprising;

converting an optical beam emitted by a laser into current proportional to a

power in the optical beam using a first photodiode on a substrate, the first photodiode being

illuminated by the optical beam;

evaluating a bandwidth of the substrate using a second photodiode on the

substrate;

preventing the second photodiode from being illuminated by the optical

beam;

extracting an amplitude for logic level "1" of the optical beam using a

peak detector coupled to the first photodiode and compensating the amplitude for the logic level

"1" in response to the evaluated bandwidth; and

adjusting laser modulation voltage in response to the compensated

amplitude for the logic level "1".

24. (Original) The article of manufacture of claim 23, wherein the machine-accessible

medium further includes data that cause the machine to perform operations comprising adjusting

optical signal alternating current (AC) components.

25. (Original) The article of manufacture of claim 24, wherein the machine-accessible

medium further includes data that cause the machine to perform operations comprising adjusting

optical signal extinction ratio based on the adjusted laser modulation voltage.

26. (Original) The article of manufacture of claim 26, wherein the machine-accessible

42P16447 Serial No. 10/611,701

Examiner: Bui-Pho, Pascal M.

Art Unit: 2878

- 6 -

medium further includes data that cause the machine to perform operations comprising adjusting

optical signal optical modulation amplitude based on the adjusted laser modulation voltage.

27. (Original) The article of manufacture of claim 23, wherein the machine-accessible

medium further includes data that cause the machine to perform operations comprising extracting

an amplitude for the logic level "1" of the optical beam using a peak detector coupled to the first

photodiode.

Claims 28 – 30. (Canceled)

Examiner: Bui-Pho, Pascal M.
Art Unit: 2878

- 7 -

CONCLUSION

Applicant submits that all grounds for rejection have been properly traversed or rendered moot and that the application is now in condition for allowance. The Examiner is invited to telephone the undersigned representative if the Examiner believes that an interview might be useful for any reason.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN

Date: 8/29/2005

Jan Little-Washington

Reg. No. 41,181

FIRST CLASS CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

on ______ August 29, 2005

Date of Deposit

Adrian Villarreal
Name of Person Mailing Correspondence

Signature

Date

42P16447 Serial No. 10/611,701 Examiner: Bui-Pho, Pascal M.
Art Unit: 2878